

ROUTING AND TRANSMITTAL SLIP		Date
		5/5/86
TO: (Name, office symbol, room number, building, Agency/Post)	Initials	Date
1. DDA Registry - 7D16 Hdqs.		
2. EXO/DDA	Pen	6 May
3.		
4.		
5. DDACREG.		
Action	File	Note and Return
Approval	For Clearance	Per Conversation
As Requested	For Correction	Prepare Reply
Circulate	For Your Information	See Me
Comment	Investigate	Signature
Coordination	Justify	

REMARKS

2 copies of response to ER-86-1704X attached.

DO NOT use this form as a RECORD of approvals, concurrences, disposals, clearances, and similar actions

FROM: (Name, org. symbol, Agency/Post)

PMS/OL

STAT

5041-102

* U.S.G.P.O.: 1983-421-529/320

OPTIONAL FORM 41 (Rev. 7-70)
Prescribed by GSA
FPMR (41 CFR) 101-11.206

Central Intelligence Agency



Washington, D.C. 20505

DDA Reg



1 May 1986

DD/A REGISTRY
FILE: 45-1

Purewater Systems
P. O. Box 756
Lebanon, Virginia 24266

Attention: Mr. Harold Porter

Dear Mr. Porter:

This Office has received your letter of 17 April 1986, containing the latest information on your product. Your letter has been distributed to the appropriate offices in the hopes that they may be able to utilize your product. You will be contacted directly by the interested component if a requirement exists.

Thank you for offering your product to the Central Intelligence Agency.

Sincerely,



STAT

Procurement Management Staff
Office of Logistics

Distribution:

- Orig - Adse
- 2 - DDA Registry
- 1 - EXEC. Registry
- 1 - OL Reader
- 1 - PMS Official
- 1 - PMS Chrono

OL 5018-86



ROUTING AND RECORD SHEET

SUBJECT: (Optional)

PUREWATER SYSTEMS

FROM

Procurement Management Staff OL

EXTENSION

NO.

DATE

1 May 1986

TO: (Officer designation, room number, and building)

DATE

RECEIVED

FORWARDED

OFFICER'S
INITIALS

COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.)

STAT

STAT

STAT

STAT

In accordance with Agency policy, the attached material is being routed to you for your review and for possible use within your component. If you are interested or have questions, please contact the company directly, or if you are aware of another Agency component with an interest in this product/service, please forward. If there is no interest, please let this Office know.

Thank you.

15. PMS/OL

EXECUTIVE SECRETARIAT ROUTING SLIP

TO:		ACTION	INFO	DATE	INITIAL
1	DCI				
2	DDCI				
3	EXDIR				
4	D/ICS				
5	DDI				
6	DDA	X			
7	DDO				
8	DDS&T				
9	Chm/NIC				
10	GC				
11	IG				
12	Compt				
13	D/OLL				
14	D/PAO	X		7 25 APR 1986	CC
15	D/PERS				
16	VC/NIC				
17					
18					
19					
20					
21					
22					

SUSPENSE _____ Date _____

Remarks

TO #14: For your handling as appropriate.

Executive Secretary
24 Apr 86

Date

ROUTING AND TRANSMITTAL SLIP

Date

30 APR 86

TO: (Name, office symbol, room number, building, Agency/Post)

Initials

Date

1. DIRECTOR OF LOGISTICS AEO/L OK 5/2
2. EO/L 1/E 6/2
3. DD/L 2/5
4.
5. C/PMS - Action pl

Action	File	Note and Return
Approval	For Clearance	Per Conversation
As Requested	For Correction	Prepare Reply
Circulate	For Your Information	See Me
Comment	Investigate	Signature
Coordination	Justify	

REMARKS

#1 - PLEASE HANDLE AS APPROPRIATE.

Action transferred to the
DPA.

DO NOT use this form as a RECORD of approvals, concurrences, disposals.

FROM


EXECUTIVE OFFICER TO THE DDA

5041-102

OPTIONAL FORM 7-76
Prescribed by GSA
FPMR (41 CFR) 101-11.206

☆ GPO : 1981 O - 361-529 (148)

Executive Registry
86- 1704X



TO: ALL U.S. GOVERNMENT AGENCIES
& U.S. MILITARY OPERATIONS.


SUBJECT: TERRORIST ATTACKS ON DRINKING WATER SUPPLIES
EMBASSY LISTINGS SHOULD BE CONSIDERED CLASSIFIED.

Gentlemen:

Drinking water supplies are potential terrorist targets and every effort should be made to reduce the danger. Fourteen American Embassies; Sudan, Somalia, Nicaragua, Panama, Lebanon, Romania, Lome, Guatemala, Tunisia, Ghana and others are using our units right now. Our units are UL listed and carry a full one year warranty. They remove chemicals, bacteria and poisons by distillation. The Aqua Fountain purified water storage tanks are also sealed against entry making intrusion very difficult. These units are manufactured by Purewater Inc, the worlds largest manufacturer of home and office distillers. They have led the industry in design and performance for over 20 years. Your water coolers should be replaced with Aqua Fountain coolers, or if you do not have coolers, the Aqua Fountains should be installed.

Our Government SBA number is EIM 07388958. Due to the urgency of need, emergency purchase orders should be submitted as soon as possible. The regular price of the Aqua Fountain is \$1499.00 plus \$50.00 shipping. Your Government discount is 20% plus free shipping. Purchase orders should be directed to: Harold Porter Purewater Systems PO Box 756 Lebanon, Va 24266, telephone 703:889:5984. Any employees wishing to purchase units for their homes should contact me at the above address. Payment terms are net 30.

Sincerely,


Harold Porter
Purewater Systems
April 17th, 1986
End Message.